

The Online Multicommodity Connected Facility Location Problem

Mário César San Felice^{*}
Cristina G. Fernandes^{*}
Carla Negri Lintzmayer[†]

^{*}IME-USP
Institute of Mathematics and Statistics
University of São Paulo

[†]IC-UNICAMP
Institute of Computing
University of Campinas

September 7th, 2017

Multicommodity Connected Facility Location

Two-layer network design problem, which arises from a combination of the [Facility Location](#) and the [Steiner Forest](#) problems through the [rent-or-buy](#) model.

Proposed by Fabrizio Grandoni and Thomas Rothvoß, who presented a constant approximation [sample-and-augment](#) algorithm.

[Sample-and-Augment](#) is a technique, due to Gupta et al., to design randomized algorithms for [rent-or-buy](#) problems.

Online Problems and Competitive Analysis

Parts of the input are revealed one at a time.

Each part is served before the next one arrives.

No decision made may be changed in the future.


An online algorithm ALG is c -competitive if:

$$\text{ALG}(I) \leq c \text{OPT}(I) ,$$


for every input I .

Competitive ratio is similar to approximation ratio.

Online Prize-Collecting Facility Location Problem




Online Prize-Collecting Facility Location Problem




$$\min \sum_{i \in F^a} f(i) + \sum_{j \notin D^\phi} d(j, \phi(j)) + \sum_{j \in D^\phi} \pi(j)$$

Online Prize-Collecting Facility Location Problem



$$\min \sum_{i \in F^a} f(i) + \sum_{j \notin D^\phi} d(j, \phi(j)) + \sum_{j \in D^\phi} \pi(j)$$


Online Prize-Collecting Facility Location Problem



$$\min \sum_{i \in F^a} f(i) + \sum_{j \notin D^\phi} d(j, \phi(j)) + \sum_{j \in D^\phi} \pi(j)$$

Total cost = 2


Online Prize-Collecting Facility Location Problem



$$\min \sum_{i \in F^a} f(i) + \sum_{j \notin D^\phi} d(j, \phi(j)) + \sum_{j \in D^\phi} \pi(j)$$

Total cost = 2


Online Prize-Collecting Facility Location Problem



$$\min \sum_{i \in F^a} f(i) + \sum_{j \notin D^\phi} d(j, \phi(j)) + \sum_{j \in D^\phi} \pi(j)$$

$$\text{Total cost} = 2 + 2$$


Online Prize-Collecting Facility Location Problem



$$\min \sum_{i \in F^a} f(i) + \sum_{j \notin D^\phi} d(j, \phi(j)) + \sum_{j \in D^\phi} \pi(j)$$

$$\text{Total cost} = 2 + 2$$


Online Prize-Collecting Facility Location Problem



$$\min \sum_{i \in F^a} f(i) + \sum_{j \notin D^\phi} d(j, \phi(j)) + \sum_{j \in D^\phi} \pi(j)$$

$$\text{Total cost} = 2 + 2 + 2$$

Online Prize-Collecting Facility Location Problem



$$\min \sum_{i \in F^a} f(i) + \sum_{j \notin D^\phi} d(j, \phi(j)) + \sum_{j \in D^\phi} \pi(j)$$


$$\text{Total cost} = 2 + 2 + 2 = 6$$

Online Prize-Collecting Facility Location Problem


Elmachtoub and Levi, and San Felice et al. independently presented $O(\log n)$ -competitive algorithms for the OPFL.

Since the OPFL is a generalization of the Online Facility Location problem, the $\Omega\left(\frac{\log n}{\log \log n}\right)$ lower bound due to Fotakis applies to it.

Online Steiner Forest Problem




Online Steiner Forest Problem




$$\min \sum_{e \in T} d(e)$$

Online Steiner Forest Problem



$$\min \sum_{e \in T} d(e)$$


Online Steiner Forest Problem



$$\min \sum_{e \in T} d(e)$$

Total cost = 2


Online Steiner Forest Problem



$$\min \sum_{e \in T} d(e)$$

Total cost = 2


Online Steiner Forest Problem



$$\min \sum_{e \in T} d(e)$$

$$\text{Total cost} = 2 + 5$$


Online Steiner Forest Problem



$$\min \sum_{e \in T} d(e)$$

$$\text{Total cost} = 2 + 5$$


Online Steiner Forest Problem



$$\min \sum_{e \in T} d(e)$$

$$\text{Total cost} = 2 + 5 + 1$$

Online Steiner Forest Problem



$$\min \sum_{e \in T} d(e)$$


$$\text{Total cost} = 2 + 5 + 1 = 8$$

Online Steiner Forest Problem


Berman and Coulston presented a deterministic $O(\log n)$ -competitive algorithm for the OSF.

Also, a $\Omega(\log n)$ lower bound to the OST due to Imase and Waxman applies to the OSF.

Online Multicommodity CFL Problem




Online Multicommodity CFL Problem




$$\min \sum_{i \in F} f(i) + \sum_{p \in P} \sum_{e \in E_p^r} d(e) + M \sum_{e \in E^b} d(e)$$

Online Multicommodity CFL Problem



$$\min \sum_{i \in F} f(i) + \sum_{p \in P} \sum_{e \in E_p^f} d(e) + M \sum_{e \in E^b} d(e)$$


Online Multicommodity CFL Problem



$$\min \sum_{i \in F} f(i) + \sum_{p \in P} \sum_{e \in E_p^f} d(e) + M \sum_{e \in E^b} d(e)$$

Total cost = 2


Online Multicommodity CFL Problem



$$\min \sum_{i \in F} f(i) + \sum_{p \in P} \sum_{e \in E_p^f} d(e) + M \sum_{e \in E^b} d(e)$$

Total cost = 2


Online Multicommodity CFL Problem



$$\min \sum_{i \in F} f(i) + \sum_{p \in P} \sum_{e \in E_p^f} d(e) + M \sum_{e \in E^b} d(e)$$

$$\text{Total cost} = 2 + 2$$


Online Multicommodity CFL Problem



$$\min \sum_{i \in F} f(i) + \sum_{p \in P} \sum_{e \in E_p^f} d(e) + M \sum_{e \in E^b} d(e)$$

$$\text{Total cost} = 2 + 2 + 7.5$$


Online Multicommodity CFL Problem



$$\min \sum_{i \in F} f(i) + \sum_{p \in P} \sum_{e \in E_p^f} d(e) + M \sum_{e \in E^b} d(e)$$

$$\text{Total cost} = 2 + 2 + 7.5$$


Online Multicommodity CFL Problem



$$\min \sum_{i \in F} f(i) + \sum_{p \in P} \sum_{e \in E_p^f} d(e) + M \sum_{e \in E^b} d(e)$$

$$\text{Total cost} = 2 + 2 + 7.5 + 2 =$$

Online Multicommodity CFL Problem



$$\min \sum_{i \in F} f(i) + \sum_{p \in P} \sum_{e \in E_p^f} d(e) + M \sum_{e \in E^b} d(e)$$

$$\text{Total cost} = 2 + 2 + 7.5 + 2 = 13.5$$

Online Multicommodity CFL Algorithm

We present a **sample-and-augment** algorithm inspired on the algorithm for MCFL due to Grandoni and Rothvoß.

We highlight that the Online Multicommodity Connected Facility Location problem is **not** a **typical rent-or-buy** problem.

Because the **constraints** on rented edges **are distinct** from those on bought edges.

However, it still has a **cost scaling factor** which justify the use of this technique.

Algorithm 1: Algorithm for the OMCFL problem.

Input: (G, d, f, M)

while a new pair $p = (s, t)$ arrives **do**

$\pi_p \leftarrow \text{dist}(G, d', s, t)/2$; \triangleright decide if and which facilities

send (s, π_p) and (t, π_p) to ALG_{OPFL} obtaining $\phi(s)$ and $\phi(t)$;

if $\phi(s) \neq \text{null}$ and $\phi(t) \neq \text{null}$ **then**

mark p with probability $1/M$; \triangleright balance cost scaling factor

if p is marked **then**

send $(\phi(s), \phi(t))$ to ALG_{OSF} obtaining an edge set E_p^b ;

$F^a \leftarrow F^a \cup \{\phi(s), \phi(t)\}$; $E^b \leftarrow E^b \cup E_p^b$;

for $x, y \in F^a$ in the same component of $G[E^b]$ **do**

$d'(x, y) \leftarrow 0$; $E' \leftarrow E' \cup \{xy\}$;

consider an (s, t) -shortest path in G with costs d' ;

let E_p^r be the edges of this path except for those in E' ;

return $(F^a, E^b, (E_p^r)_{p \in P})$;

Analysis of the OMCFL Algorithm

Cost of Algorithm for OMCFL is divided between **facilities opening cost** (O), **edges buying cost** (B) and **edges renting cost** (R):

$$\text{ALG}_{\text{OMCFL}}(P) = O(P) + B(P) + R(P) .$$

And the **edges renting cost** (R) is divided according to the pairs in P^π , P^m and P^u :

$$R(P) = R^\pi(P) + R^m(P) + R^u(P) .$$

The cost of the offline optimal solution is also divided in this way:

$$\text{OPT}_{\text{MCFL}}(P) = O^*(P) + B^*(P) + R^*(P) .$$

First and Auxiliary Lemma


Lemma

$$\text{OPT}_{\text{PFL}}(D) \leq \text{OPT}_{\text{MCFL}}(P).$$

First and Auxiliary Lemma

Lemma


$$\text{OPT}_{\text{PFL}}(D) \leq \text{OPT}_{\text{MCFL}}(P).$$



First and Auxiliary Lemma

Lemma


$$\text{OPT}_{\text{PFL}}(D) \leq \text{OPT}_{\text{MCFL}}(P).$$



First and Auxiliary Lemma

Lemma


$$\text{OPT}_{\text{PFL}}(D) \leq \text{OPT}_{\text{MCFL}}(P).$$



First and Auxiliary Lemma

Lemma


$$\text{OPT}_{\text{PFL}}(D) \leq \text{OPT}_{\text{MCFL}}(P).$$



First and Auxiliary Lemma

Lemma


$$\text{OPT}_{\text{PFL}}(D) \leq \text{OPT}_{\text{MCFL}}(P).$$



First and Auxiliary Lemma

Lemma

$$\text{OPT}_{\text{PFL}}(D) \leq \text{OPT}_{\text{MCFL}}(P).$$



$$\text{ALG}_{\text{OPFL}}(D) \leq O(\log n) \text{OPT}_{\text{PFL}}(P) \leq O(\log n) \text{OPT}_{\text{MCFL}}(P).$$

Some Simple Lemmas

Cost of Algorithm for OPFL is divided between facilities opening cost (O'), clients penalty cost (Π) and clients connection cost (C'):

$$\text{ALG}_{\text{OPFL}}(D) = O'(D) + \Pi(D) + C'(D) .$$

Lemma (Facility Opening Cost)

$O(P) \leq O'(D)$. *$\text{ALG}_{\text{OMCFL}}$ opens a subset of ALG_{OPFL} facilities.*

Lemma (Close Pairs Renting Cost)

$R^\pi(P) \leq 2\Pi(D)$. *At least one node of each pair paid penalty.*

Lemma (Marked Pairs Renting Cost)

$R^m(P) \leq C'(D)$. *For every marked pair, its renting edges correspond to its nodes connections.*

Lemma (Buying Cost)

$$\mathbf{E}[B(P)] = O(\log^2 n) \text{OPT}_{\text{MCFL}}(P).$$

$$\begin{aligned} \mathbf{E}[B(P)] &= M O(\log n) \mathbf{E}[\text{OPT}_{\text{SF}}(Q)] \\ &= M O(\log n) \left(\frac{B^*(P) + R^*(P) + C'(D)}{M} \right) \\ &= O(\log n) (B^*(P) + R^*(P) + \text{ALG}_{\text{OPFL}}(D)) \\ &= O(\log n) (\text{OPT}_{\text{MCFL}}(P) + O(\log n) \text{OPT}_{\text{PFL}}(D)) \\ &= O(\log^2 n) \text{OPT}_{\text{MCFL}}(P) . \end{aligned}$$

Lemma (Unmarked Pairs Renting Cost)

$$\mathbf{E}[R^u(P)] = O(\log^2 n) \text{OPT}_{\text{MCFL}}(P).$$

$$\mathbf{E}[R^u(P)] \leq \mathbf{E}[B(P)] + C'(D) = O(\log^2 n) \text{OPT}_{\text{MCFL}}(P) .$$

Theorem

$$\mathbf{E}[\text{ALG}_{\text{OMCFL}}(P)] = O(\log^2 n) \text{OPT}_{\text{MCFL}}(P).$$

$$\begin{aligned} \mathbf{E}[\text{ALG}_{\text{OMCFL}}(P)] &= \mathbf{E}[O(P)] + \mathbf{E}[B(P)] + \mathbf{E}[R(P)] \\ &= \mathbf{E}[O(P)] + \mathbf{E}[B(P)] \\ &\quad + \mathbf{E}[R^\pi(P) + R^m(P) + R^u(P)] \\ &\leq O'(D) + O(\log^2 n) \text{OPT}_{\text{MCFL}}(P) \\ &\quad + 2\Pi(D) + C'(D) + O(\log^2 n) \text{OPT}_{\text{MCFL}}(P) \\ &= O(\log^2 n) \text{OPT}_{\text{MCFL}}(P) . \end{aligned}$$

Final Remarks

With a small change in the algorithm we are able to achieve a logarithmic bound on the expected buying cost ($B(P)$). Thus, we have:

Theorem

In the special case of OMCFL in which $M = 1$, we have

$$\text{ALG2}_{\text{OMCFL}}(P) = O(\log n) \text{OPT}_{\text{MCFL}}(P) .$$

However, we are still working to improve the bound on the expected renting cost of unmarked clients ($R^u(P)$).

Acknowledgements

That's all!

Questions?